## WHAT IS CLAIMED IS:

- 1. An isolated nucleic acid sequence encoding a protein, wherein the protein has the following properties: (i) the protein has microtubule-stimulated ATPase activity; and (ii) the protein comprises a sequence that has greater than 90% amino acid sequence identity to SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10 as measured using a sequence comparison algorithm.
- 2. An isolated nucleic acid sequence of claim 1, wherein the protein specifically binds to polyclonal antibodies generated against a protein comprising SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10.
- 3. An isolated nucleic acid sequence of claim 1, wherein the nucleic acid encodes SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10.
- 4. An isolated nucleic acid sequence of claim 1, wherein the nucleic acid comprises a polynucleotide sequence of SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, or SEQ ID NO:9.
- 5. An isolated nucleic acid sequence of claim 1, wherein the nucleic acid hybridizes under stringent hybridization conditions to SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, or SEQ ID NO:9.
- 6. An expression vector comprising a nucleic acid encoding a protein, wherein the protein has the following properties: (i) the protein has microtubule stimulated ATPase activity; and (ii) the protein comprises a sequence that has greater than 90% amino acid sequence identity to SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10 as measured using a sequence comparison algorithm.
- 7. A host cell transfected with the vector of claim 6.

- 8. An isolated protein, wherein the protein comprises a sequence that has greater than 90% amino acid sequence identity to SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10 as measured using a sequence comparison algorithm and wherein the protein has microtubule stimulated ATPase activity.
- 9. An isolated protein of claim 8, wherein the protein specifically binds to polyclonal antibodies generated against a protein comprising SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10.
- 10. An isolated protein of claim 8, wherein the protein comprises SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10.
- 11. An isolated protein comprising an amino acid sequence of SEQ ID NO:2.
- 12. An isolated protein comprising an amino acid sequence of SEQ ID NO:4.
- 13. An isolated protein comprising an amino acid sequence of SEQ ID NO:6.
- 14. An isolated protein comprising an amino acid sequence of SEQ ID NO:8.
- 15. An isolated protein comprising an amino acid sequence of SEQ ID NO:10.
- 16. An isolated nucleic acid comprising a sequence which has greater than 90% sequence identity with nucleotide SEQ ID NO:1, SEQ ID NO:3, SEQ ID NO:5, SEQ ID NO:7, or SEQ ID NO:9 and which encodes a protein having microtubule-stimulated ATPase activity.
- 17. A method for screening a compound for anti-malarial activity, which method comprises contacting the compound with a protein comprising SEQ ID NO:2, SEQ ID NO:4, SEQ ID NO:6, SEQ ID NO:8, or SEQ ID NO:10; and

determining whether the compound binds to and inhibits the protein, any such binding and inhibition suggesting that the compound may have anti-malarial activity.

18. A method of claim 17, wherein the screening occurs in a multi-well plate as part of a high-throughput screen.